

COVID-19 (nCorona) Virus Outbreak Control and Prevention State Cell Health & Family Welfare Department Government of Kerala

REVISED DISCHARGE GUIDELINES FOR COVID-19 PATIENTS

No.31/F2/2020 Health- 14th October 2020.

Reference: 1. Amendment to the revised discharge guidelines for COVID-19 Patients dated 1st July 2020- No 31/F2/2020/H&FW 21st July 2020 available at https://dhs.kerala.gov.in/wp-content/uploads/2020/07/Guidelines-Amendement-to-the-Revised-Discharge-Guidelines-of-COVID-patients.pdf

The following modifications has been made in the amendment to the revised discharge guidelines for COVID-19 patients (reference-1) admitted in health care institutions in Kerala State.

- Category B patients shall undergo rapid antigen test on 10th day since onset of symptoms if they are asymptomatic on day of testing OR if symptoms persist after ten days, test one day after resolution of symptoms.
- Category B & C patients should be clinically stable with no excessive fatigability / exertional desaturation to be eligible for discharge among other criteria.

The table below summarises the revised discharge guidelines for COVID-19 patients:

CATEGORY	DAY OF 1ST FOLLOW UP TEST	RAPID ANTIGEN TEST RESULT	DISCHARGE	QUARANTINE
Asymptomatic	10th day since first positive result	Negative	Discharge	Avoid Non- Essential travel and social contact (like family visits, attend marriages,
		Positive	Repeat rapid antigen test every alternate day till	

H
Transfer Tr

			negativity for discharge	functions or work) for 7 days after Discharge. Adequate rest to be taken.
CAT-A	10th day since onset of symptoms if asymptomatic on day of testing OR -If symptoms persist after ten days, test one day after resolution of symptoms	Negative	Discharge if: - Completed 10 days since onset of symptoms -No symptoms since last 3 days -Repeat rapid antigen test every alternate day till negativity for discharge.	Avoid Non- Essential travel and social contact (like family visits, attend marriages, functions or work) for 7 days after Discharge. Adequate rest to be taken.
CAT-B	10th day since onset of symptoms if asymptomatic on day of testing OR -If symptoms persist after ten days, test one day after	Negative	Discharge if: -Completed 10 days since onset of symptoms -No symptoms since last 3 days -Clinically stable (no excessive fatigability / exertional desaturation) Repeat rapid antigen test every	Avoid Non- Essential travel and social contact (like family visits, attend marriages, functions or work) for 7 days after Discharge. Adequate rest to be taken.
	resolution of symptoms		alternate day till negativity for discharge.	
CAT-C or Disease in Immunocompromised (HIV positive, transplant recipients, Malignancy)	14th day since onset of symptoms if asymptomatic on day of testing	Negative	Discharge if: -Completed 14 days since onset of symptoms - No symptoms since last 3 days	Avoid Non- Essential travel and social contact (like family visits, attend



	OR -If symptoms persist after 14 days, test one day after resolution of symptoms - or as per	Positive	-Clinically stable (no excessive fatigability/ exertional desaturation) Repeat rapid antigen test every alternate day till negativity for	marriages, functions or work) for 7 days after Discharge. Adequate rest to be taken.		
	- or as per Physician's orders		discharge			

Principal Secretary